

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|-----------------|------------------|---------|------------------|
| L1 | 8275 | capacitance near3 sensor | US-PGPUB; USPAT | OR | ON | 2006/08/04 10:55 |
| L2 | 2330 | fringing adj field | US-PGPUB; USPAT | OR | ON | 2006/08/04 10:55 |
| L3 | 51 | I1 and I2 | US-PGPUB; USPAT | OR | ON | 2006/08/04 10:55 |
| L4 | 0 | dielectric and I3 | US-PGPUB; USPAT | OR | ON | 2006/08/04 10:56 |
| L5 | 44 | dielectric and I3 | US-PGPUB; USPAT | OR | ON | 2006/08/04 11:18 |
| L6 | 1 | I5 and ambient adj air | US-PGPUB; USPAT | OR | ON | 2006/08/04 10:56 |
| L7 | 2 | oscillator with rc adj resonance | US-PGPUB; USPAT | OR | ON | 2006/08/04 11:20 |
| L8 | 11 | rc adj resonance adj circuit | US-PGPUB; USPAT | OR | ON | 2006/08/04 11:19 |
| L9 | 864 | oscillator with (resistance adj capacitance or rc) adj2 circuit | US-PGPUB; USPAT | OR | ON | 2006/08/04 11:20 |
| L10 | 515 | oscillator near4 (resistance adj capacitance or rc) adj2 circuit | US-PGPUB; USPAT | OR | ON | 2006/08/04 11:20 |
| L11 | 19 | I1 and I10 | US-PGPUB; USPAT | OR | ON | 2006/08/04 11:37 |
| L12 | 4414 | resistance adj sensor | US-PGPUB; USPAT | OR | ON | 2006/08/04 11:37 |
| L13 | 746 | I12 and proximity | US-PGPUB; USPAT | OR | ON | 2006/08/04 11:37 |
| L14 | 8 | I12 near3 proximity | US-PGPUB; USPAT | OR | ON | 2006/08/04 11:38 |
| L15 | 11 | I12 near5 proximity | US-PGPUB; USPAT | OR | ON | 2006/08/04 11:37 |
| L16 | 0 | I12 same electrical adj field | US-PGPUB; USPAT | OR | ON | 2006/08/04 11:39 |
| L17 | 788 | I12 same field | US-PGPUB; USPAT | OR | ON | 2006/08/04 11:39 |
| L18 | 364 | I12 near5 field | US-PGPUB; USPAT | OR | ON | 2006/08/04 11:39 |
| L19 | 13 | I18 same proximity | US-PGPUB; USPAT | OR | ON | 2006/08/04 11:45 |
| L20 | 1 | "20050156876" and resistance | US-PGPUB; USPAT | OR | ON | 2006/08/04 11:47 |
| L21 | 15 | impedance same resistance same inductance | US-PGPUB; USPAT | OR | ON | 2006/08/04 11:48 |

EAST Search History

| | | | | | | |
|-----|------|---|-----------------|----|----|------------------|
| L22 | 1442 | sensor same resistance same inductance | US-PGPUB; USPAT | OR | ON | 2006/08/04 11:49 |
| L23 | 686 | sensor same capacitance same resistance same inductance | US-PGPUB; USPAT | OR | ON | 2006/08/04 11:49 |
| L24 | 541 | sensor same capacitance with resistance with inductance | US-PGPUB; USPAT | OR | ON | 2006/08/04 11:49 |
| L25 | 324 | sensor with capacitance with resistance with inductance | US-PGPUB; USPAT | OR | ON | 2006/08/04 11:50 |
| L26 | 128 | l25 and proximity | US-PGPUB; USPAT | OR | ON | 2006/08/04 12:01 |
| L27 | 0 | "5802479".pn. and resistance | US-PGPUB; USPAT | OR | ON | 2006/08/04 12:01 |
| L28 | 0 | "6859141".pn. and resistance | US-PGPUB; USPAT | OR | ON | 2006/08/04 12:02 |
| L29 | 0 | "20020075006" and resistance | US-PGPUB; USPAT | OR | ON | 2006/08/04 12:02 |
| L30 | 11 | "4618823" and resistance | US-PGPUB; USPAT | OR | ON | 2006/08/04 12:02 |
| L31 | 1 | "4618823".pn. and resistance | US-PGPUB; USPAT | OR | ON | 2006/08/04 12:09 |
| L32 | 0 | "20040239341." and resistance | US-PGPUB; USPAT | OR | ON | 2006/08/04 13:31 |
| L33 | 126 | proximity adj sensor with resistance | US-PGPUB; USPAT | OR | ON | 2006/08/04 12:23 |
| L34 | 51 | (proximity adj sensor) near5 resistance | US-PGPUB; USPAT | OR | ON | 2006/08/04 12:23 |
| L35 | 6 | (proximity adj sensor) near5 (resistance adj sensor) | US-PGPUB; USPAT | OR | ON | 2006/08/04 12:23 |
| L36 | 6 | "6348862" and resistance | US-PGPUB; USPAT | OR | ON | 2006/08/04 13:31 |
| L37 | 0 | "6348862".pn. and resistance | US-PGPUB; USPAT | OR | ON | 2006/08/04 13:43 |
| L38 | 353 | 324/658.ccls. | US-PGPUB; USPAT | OR | ON | 2006/08/04 13:43 |
| L39 | 79 | l38 and proximity | US-PGPUB; USPAT | OR | ON | 2006/08/04 13:43 |
| L40 | 59 | 324/691 and proximity | US-PGPUB; USPAT | OR | ON | 2006/08/04 13:44 |
| L41 | 25 | 324/691.ccls. and proximity | US-PGPUB; USPAT | OR | ON | 2006/08/04 13:47 |
| L42 | 192 | 324/691.ccls. and resistance | US-PGPUB; USPAT | OR | ON | 2006/08/04 14:15 |
| L43 | 1 | 324/691.ccls. and resistance adj2 field | US-PGPUB; USPAT | OR | ON | 2006/08/04 13:47 |

EAST Search History

| | | | | | | |
|-----|----|---|--------------------|----|----|------------------|
| L44 | 57 | 324/691.ccls. and resistance with sensor | US-PGPUB; USPAT | OR | ON | 2006/08/04 13:52 |
| L45 | 42 | 324/691.ccls. and resistance with electrode | US-PGPUB; USPAT | OR | ON | 2006/08/04 13:52 |
| L46 | 8 | ("5453644" "5920309" "6515651" "6661410" "6531692" "4364035" "5574480" "6448977").pn. | US-PGPUB; USPAT | OR | ON | 2006/08/04 14:16 |

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|--------|--------------------------------------|--------------------|------------------|---------|------------------|
| L1 | 3 | "6531692".uref. | USPAT | OR | OFF | 2006/08/02 08:35 |
| L2 | 1599 | optical near2 mouse | US-PGPUB; USPAT | OR | ON | 2006/08/02 08:35 |
| L3 | 1 | I2 and tracking adj distance | US-PGPUB; USPAT | OR | ON | 2006/08/02 08:36 |
| L4 | 469 | I2 and tracking | US-PGPUB; USPAT | OR | ON | 2006/08/02 08:36 |
| L5 | 20 | I2 and tracking adj mode | US-PGPUB; USPAT | OR | ON | 2006/08/02 09:17 |
| L6 | 381 | I2 and click | US-PGPUB; USPAT | OR | ON | 2006/08/02 09:24 |
| L7 | 118 | wavefront adj profile | US-PGPUB; USPAT | OR | ON | 2006/08/02 11:36 |
| L8 | 53 | I7 and light adj beam | US-PGPUB; USPAT | OR | ON | 2006/08/02 09:22 |
| L9 | 2 | I2 and I8 | US-PGPUB; USPAT | OR | ON | 2006/08/02 09:22 |
| L10 | 9 | I8 and mouse | US-PGPUB; USPAT | OR | ON | 2006/08/02 09:22 |
| L11 | 28 | I6 and 345/166.ccls. | US-PGPUB; USPAT | OR | ON | 2006/08/02 10:06 |
| L12 | 1 | "6424407".pn. | US-PGPUB; USPAT | OR | ON | 2006/08/02 10:06 |
| L13 | 58 | "4794384".uref. | US-PGPUB; USPAT | OR | ON | 2006/08/02 11:13 |
| L14 | 6 | boiling adj speckle | US-PGPUB; USPAT | OR | ON | 2006/08/02 11:19 |
| L15 | 9541 | out-of-phase | US-PGPUB; USPAT | OR | ON | 2006/08/02 11:19 |
| L16 | 267 | I15 and coherent adj light leam | US-PGPUB; USPAT | OR | ON | 2006/08/02 11:19 |
| L17 | 596715 | I15 and coherent adj light beam | US-PGPUB; USPAT | OR | ON | 2006/08/02 11:19 |
| L18 | 596708 | I15 same coherent adj light beam | US-PGPUB; USPAT | OR | ON | 2006/08/02 11:20 |
| L19 | 596706 | I15 with coherent adj light beam | US-PGPUB; USPAT | OR | ON | 2006/08/02 11:37 |
| L20 | 4 | I15 with coherent adj light adj beam | US-PGPUB; USPAT | OR | ON | 2006/08/02 11:20 |
| L21 | 4 | I15 same coherent adj light adj beam | US-PGPUB; USPAT | OR | ON | 2006/08/02 11:21 |

EAST Search History

| | | | | | | |
|-----|--------|--|----------------------|----|-----|------------------|
| L22 | 45 | I15 and coherent adj light adj beam | US-PGPUB; USPAT | OR | ON | 2006/08/02 12:05 |
| L23 | 1 | "20030058738".PN. | US-PGPUB | OR | OFF | 2006/08/02 11:32 |
| L24 | 1 | "20030053373".PN. | US-PGPUB | OR | OFF | 2006/08/02 11:32 |
| L25 | 1 | "6552841".PN. | USPAT; USOCR | OR | OFF | 2006/08/02 11:32 |
| L26 | 1 | "6486962".PN. | USPAT; USOCR | OR | OFF | 2006/08/02 11:33 |
| L27 | 1 | "6134006".PN. | USPAT; USOCR | OR | OFF | 2006/08/02 11:34 |
| L28 | 1 | "5986224".PN. | USPAT; USOCR | OR | OFF | 2006/08/02 11:34 |
| L29 | 1 | "5262884".PN. | USPAT; USOCR | OR | OFF | 2006/08/02 11:34 |
| L30 | 4353 | wavefront with (lens or optic) | US-PGPUB; USPAT | OR | ON | 2006/08/02 11:37 |
| L31 | 596712 | I30 and coherent adj light beam | US-PGPUB; USPAT | OR | ON | 2006/08/02 11:59 |
| L32 | 165 | I30 and coherent adj light adj beam | US-PGPUB; USPAT | OR | ON | 2006/08/02 11:44 |
| L33 | 7 | I32 and mouse | US-PGPUB; USPAT | OR | ON | 2006/08/02 11:38 |
| L34 | 10 | I32 and "250"/\$.ccls. | US-PGPUB; USPAT | OR | ON | 2006/08/02 11:38 |
| L35 | 22 | I30 same coherent adj light adj beam | US-PGPUB; USPAT | OR | ON | 2006/08/02 11:44 |
| L36 | 596708 | wavefront with coherent adj light beam | US-PGPUB; USPAT | OR | ON | 2006/08/02 11:59 |
| L37 | 52 | wavefront with coherent adj light adj beam | US-PGPUB; USPAT | OR | ON | 2006/08/02 11:59 |
| L38 | 560 | I15 and light adj beam | US-PGPUB; USPAT | OR | ON | 2006/08/02 12:06 |
| L39 | 82 | I15 same light adj beam | US-PGPUB; USPAT | OR | ON | 2006/08/02 13:02 |
| L40 | 27 | speckle adj grain | US-PGPUB; USPAT | OR | ON | 2006/08/02 13:22 |
| L41 | 9402 | ((lifting or lift) adj off or away near2 mov\$3) with distance | US-PGPUB; USPAT | OR | ON | 2006/08/02 13:27 |
| L42 | 12 | I41 and optical near mouse | US-PGPUB; USPAT | OR | ON | 2006/08/02 13:24 |
| L43 | 858 | ((lifting or lift) adj off or away near2 mov\$3) with distance | EPO; JPO; DERWENT | OR | ON | 2006/08/02 13:25 |

EAST Search History

| | | | | | | |
|-----|------|--|----------------------|----|----|------------------|
| L44 | 4 | l43 and mouse | EPO; JPO; DERWENT | OR | ON | 2006/08/02 13:26 |
| L45 | 104 | ((lifting or lift) adj off or away near2 mov\$3) and mouse near optical | US-PGPUB; USPAT | OR | ON | 2006/08/02 14:03 |
| L46 | 92 | l45 not l42 | US-PGPUB; USPAT | OR | ON | 2006/08/02 13:27 |
| L47 | 385 | ((lifting or lift) adj off or away near2 mov\$3) and speckle | US-PGPUB; USPAT | OR | ON | 2006/08/02 14:04 |
| L48 | 17 | ((lifting or lift) adj off or away near2 mov\$3) same speckle | US-PGPUB; USPAT | OR | ON | 2006/08/02 14:25 |
| L49 | 7694 | ((lifting or lift) adj off or away near2 mov\$3) and impedance | US-PGPUB; USPAT | OR | ON | 2006/08/02 14:26 |
| L50 | 453 | l49 and mouse | US-PGPUB; USPAT | OR | ON | 2006/08/02 14:26 |
| L51 | 690 | ((lifting or lift) adj off or away near2 mov\$3) same impedance | US-PGPUB; USPAT | OR | ON | 2006/08/02 14:27 |
| L52 | 1 | l51 and measur\$5 adj zone | US-PGPUB; USPAT | OR | ON | 2006/08/02 14:27 |
| L53 | 594 | ((lifting or lift) adj off or away near2 mov\$3) and impedance with field | US-PGPUB; USPAT | OR | ON | 2006/08/02 14:27 |
| L54 | 89 | ((lifting or lift) adj off or away near2 mov\$3) same impedance same field | US-PGPUB; USPAT | OR | ON | 2006/08/02 14:31 |
| L55 | 171 | impedance adj sensor and input adj device | US-PGPUB; USPAT | OR | ON | 2006/08/02 14:59 |
| L56 | 699 | impedance same proximity same sensor | US-PGPUB; USPAT | OR | ON | 2006/08/02 14:40 |
| L57 | 19 | l56 and "345"/\$.ccls. | US-PGPUB; USPAT | OR | ON | 2006/08/02 14:40 |
| L58 | 4867 | field same proximity same sensor | US-PGPUB; USPAT | OR | ON | 2006/08/02 14:55 |
| L59 | 120 | l58 and "345"/\$.ccls. | US-PGPUB; USPAT | OR | ON | 2006/08/02 14:40 |
| L60 | 570 | field same proximity same sensor | EPO; JPO; DERWENT | OR | ON | 2006/08/02 14:55 |
| L61 | 3 | l60 and input adj device | EPO; JPO; DERWENT | OR | ON | 2006/08/02 14:57 |
| L62 | 7 | "574213" | EPO; JPO; DERWENT | OR | ON | 2006/08/02 14:58 |
| L63 | 46 | l53 and input adj device | US-PGPUB; USPAT | OR | ON | 2006/08/02 15:05 |

EAST Search History

| | | | | | | |
|-----|-----|---|--------------------|----|-----|------------------|
| L64 | 182 | I56 same field | US-PGPUB; USPAT | OR | ON | 2006/08/02 16:34 |
| L65 | 1 | "6348862".PN. | USPAT; USOCR | OR | OFF | 2006/08/02 16:25 |
| L66 | 1 | "6275146".PN. | USPAT; USOCR | OR | OFF | 2006/08/02 16:27 |
| L67 | 1 | "6051981".PN. | USPAT; USOCR | OR | OFF | 2006/08/02 16:27 |
| L68 | 1 | "6025726".PN. | USPAT; USOCR | OR | OFF | 2006/08/02 16:28 |
| L69 | 1 | "5973318".PN. | USPAT; USOCR | OR | OFF | 2006/08/02 16:29 |
| L70 | 1 | "5802479".PN. | USPAT; USOCR | OR | OFF | 2006/08/02 16:31 |
| L71 | 1 | "5729604".PN. | USPAT; USOCR | OR | OFF | 2006/08/02 16:32 |
| L72 | 1 | "5491423".PN. | USPAT; USOCR | OR | OFF | 2006/08/02 16:32 |
| L73 | 1 | "5337353".PN. | USPAT; USOCR | OR | OFF | 2006/08/02 16:32 |
| L74 | 414 | proximity adj sensor same resistance | US-PGPUB; USPAT | OR | ON | 2006/08/02 16:34 |
| L75 | 62 | proximity adj sensor same resistance same impedance | US-PGPUB; USPAT | OR | ON | 2006/08/02 16:34 |
| S1 | 1 | "20050156874" | US-PGPUB; USPAT | OR | OFF | 2006/07/26 13:56 |
| S2 | 1 | "20050156875" | US-PGPUB; USPAT | OR | OFF | 2006/07/26 14:02 |
| S3 | 120 | ("pn.4364035" "5574480" "6448977" "6057540" "4719455" "5274361" "5453644") | US-PGPUB; USPAT | OR | OFF | 2006/07/26 14:03 |
| S4 | 7 | ("4364035" "5574480" "6448977" "6057540" "4719455" "5274361" "5453644").pn. | US-PGPUB; USPAT | OR | OFF | 2006/07/26 14:05 |
| S5 | 1 | "20030103037" | US-PGPUB; USPAT | OR | OFF | 2006/07/26 14:05 |
| S6 | 1 | "20050035947" | US-PGPUB; USPAT | OR | OFF | 2006/07/26 14:25 |
| S7 | 1 | "20050156876" | US-PGPUB; USPAT | OR | OFF | 2006/07/26 14:14 |
| S8 | 85 | kong-y\$.in. | US-PGPUB; USPAT | OR | OFF | 2006/07/26 14:14 |
| S9 | 85 | kong-y\$.in. | US-PGPUB; USPAT | OR | ON | 2006/07/26 14:52 |

EAST Search History

| | | | | | | |
|-----|-----|---|----------------------|----|-----|------------------|
| S10 | 13 | S9 and tracking | US-PGPUB; USPAT | OR | ON | 2006/08/02 08:36 |
| S11 | 353 | 345/166.ccls. | US-PGPUB; USPAT | OR | OFF | 2006/07/31 09:52 |
| S12 | 287 | S11 and @ad<="20040121" | US-PGPUB; USPAT | OR | OFF | 2006/07/26 15:07 |
| S13 | 453 | kong-y\$.in. | EPO; JPO; DERWENT | OR | ON | 2006/07/26 14:52 |
| S14 | 6 | S13 and tracking | EPO; JPO; DERWENT | OR | ON | 2006/07/26 14:54 |
| S15 | 1 | "6531692".pn. | USPAT | OR | OFF | 2006/08/02 08:34 |
| S16 | 15 | S12 and (lift-off or lifting or liftoff) | US-PGPUB; USPAT | OR | OFF | 2006/07/31 11:52 |
| S17 | 15 | S12 and (lift-off or lifting or liftoff) | US-PGPUB; USPAT | OR | ON | 2006/07/26 15:20 |
| S18 | 26 | ("4719455" "4794384" "5107541" "5274361" "5729009" "5793357" "5852434" "5907152" "6031218" "6124587" "6151015" "6172354" "6246482" "6256016" "6281882" "6310988" "6330057" "6424407" "6433780" "6452683" "6454482" "6455840" "6474888" "6498604" "6529184" "6531692").pn. | US-PGPUB; USPAT | OR | ON | 2006/07/26 15:23 |
| S19 | 354 | 345/166.ccls. | US-PGPUB; USPAT | OR | ON | 2006/07/31 09:52 |
| S20 | 315 | S19 and (optical or light adj beam) | US-PGPUB; USPAT | OR | ON | 2006/07/31 09:53 |
| S21 | 1 | S20 and self adj mix\$3 | US-PGPUB; USPAT | OR | ON | 2006/07/31 10:00 |
| S22 | 1 | S19 and self adj mix\$3 | US-PGPUB; USPAT | OR | ON | 2006/07/31 10:12 |
| S23 | 16 | S19 and speckle adj pattern | US-PGPUB; USPAT | OR | ON | 2006/07/31 10:09 |
| S24 | 10 | S19 and beam adj splitter | US-PGPUB; USPAT | OR | ON | 2006/07/31 10:09 |
| S25 | 397 | self adj mix\$3 | US-PGPUB; USPAT | OR | ON | 2006/07/31 14:04 |
| S26 | 125 | S25 and (optical or mouse) | US-PGPUB; USPAT | OR | ON | 2006/07/31 10:13 |
| S27 | 28 | S26 and track\$3 | US-PGPUB; USPAT | OR | ON | 2006/07/31 14:08 |
| S28 | 15 | S26 and "250"/\$.ccls. | US-PGPUB; USPAT | OR | ON | 2006/07/31 11:43 |

EAST Search History

| | | | | | | |
|-----|--------|---------------------------------------|--------------------|----|-----|------------------|
| S29 | 7 | S26 and "345"/\$.ccls. | US-PGPUB; USPAT | OR | ON | 2006/07/31 11:43 |
| S30 | 571 | tracking and non-tracking | US-PGPUB; USPAT | OR | ON | 2006/07/31 11:43 |
| S31 | 198 | S30 and optical | US-PGPUB; USPAT | OR | ON | 2006/07/31 11:43 |
| S32 | 12 | S31 and "250"/\$.ccls. | US-PGPUB; USPAT | OR | ON | 2006/07/31 11:44 |
| S33 | 8 | S31 and "345"/\$.ccls. | US-PGPUB; USPAT | OR | ON | 2006/07/31 11:50 |
| S34 | 1 | "4794384".pn. | US-PGPUB; USPAT | OR | ON | 2006/08/02 10:18 |
| S35 | 1 | "6433780".pn. | US-PGPUB; USPAT | OR | ON | 2006/07/31 13:19 |
| S36 | 3 | "20020078363" | US-PGPUB; USPAT | OR | ON | 2006/07/31 11:51 |
| S37 | 208384 | (lift-off or lifting or liftoff) | US-PGPUB; USPAT | OR | OFF | 2006/07/31 13:20 |
| S38 | 3404 | S37 and mouse | US-PGPUB; USPAT | OR | OFF | 2006/07/31 11:53 |
| S39 | 1717 | S38 and optical | US-PGPUB; USPAT | OR | OFF | 2006/07/31 12:00 |
| S40 | 340794 | distance with surface | US-PGPUB; USPAT | OR | ON | 2006/07/31 11:54 |
| S41 | 25 | S25 and S40 | US-PGPUB; USPAT | OR | ON | 2006/07/31 11:54 |
| S42 | 24582 | S37 and optical | US-PGPUB; USPAT | OR | OFF | 2006/07/31 12:00 |
| S43 | 552 | S42 and "345"/\$.ccls. | US-PGPUB; USPAT | OR | OFF | 2006/07/31 12:01 |
| S44 | 15 | S42 and "345"/166.ccls. | US-PGPUB; USPAT | OR | OFF | 2006/07/31 12:01 |
| S45 | 1 | "6281882".pn. | US-PGPUB; USPAT | OR | ON | 2006/07/31 13:29 |
| S46 | 16804 | (lift-off or liftoff) | US-PGPUB; USPAT | OR | ON | 2006/07/31 13:20 |
| S47 | 26 | S46 and (tracking or cursor) adj mode | US-PGPUB; USPAT | OR | ON | 2006/07/31 14:08 |
| S48 | 27603 | S37 and S40 | US-PGPUB; USPAT | OR | ON | 2006/07/31 13:30 |
| S49 | 3087 | S37 same S40 | US-PGPUB; USPAT | OR | ON | 2006/07/31 13:30 |
| S50 | 31 | S49 and mouse | US-PGPUB; USPAT | OR | ON | 2006/07/31 13:32 |

EAST Search History

| | | | | | | |
|-----|------|------------------|----------------------|----|-----|------------------|
| S51 | 1215 | 345/179.ccls. | US-PGPUB; USPAT | OR | ON | 2006/07/31 13:32 |
| S52 | 517 | S51 and optical | US-PGPUB; USPAT | OR | ON | 2006/07/31 13:34 |
| S53 | 314 | S52 and mouse | US-PGPUB; USPAT | OR | ON | 2006/07/31 13:33 |
| S54 | 3 | S53 and S46 | US-PGPUB; USPAT | OR | ON | 2006/07/31 13:33 |
| S55 | 85 | S51 and S37 | US-PGPUB; USPAT | OR | ON | 2006/07/31 13:34 |
| S56 | 119 | self adj mix\$3 | EPO; JPO; DERWENT | OR | ON | 2006/07/31 14:04 |
| S57 | 5 | S56 and mouse | EPO; JPO; DERWENT | OR | ON | 2006/07/31 14:05 |
| S58 | 17 | S56 and optical | EPO; JPO; DERWENT | OR | ON | 2006/07/31 14:05 |
| S59 | 72 | S25 and track\$3 | US-PGPUB; USPAT | OR | ON | 2006/07/31 14:09 |
| S60 | 8 | S37 and S59 | US-PGPUB; USPAT | OR | ON | 2006/07/31 14:44 |
| S61 | 1 | "6707027".pn. | US-PGPUB; USPAT | OR | ON | 2006/07/31 14:52 |
| S62 | 1 | "6452683".PN. | USPAT; USOCR | OR | OFF | 2006/07/31 14:44 |
| S63 | 1 | "6424407".PN. | USPAT; USOCR | OR | OFF | 2006/07/31 14:44 |
| S64 | 1 | "6330057".PN. | USPAT; USOCR | OR | OFF | 2006/07/31 14:44 |
| S65 | 1 | "6246482".PN. | USPAT; USOCR | OR | OFF | 2006/07/31 14:45 |
| S66 | 1 | "6233045".PN. | USPAT; USOCR | OR | OFF | 2006/07/31 14:45 |
| S67 | 1 | "5382785".PN. | USPAT; USOCR | OR | OFF | 2006/07/31 14:45 |
| S68 | 1 | "5262636".PN. | USPAT; USOCR | OR | OFF | 2006/07/31 14:46 |
| S69 | 1 | "3644042".PN. | USPAT; USOCR | OR | OFF | 2006/07/31 14:46 |
| S70 | 1 | "5262636".PN. | USPAT; USOCR | OR | OFF | 2006/07/31 14:47 |
| S71 | 1 | "5382785".PN. | USPAT; USOCR | OR | OFF | 2006/07/31 14:47 |
| S72 | 1 | "4733609".PN. | USPAT; USOCR | OR | OFF | 2006/07/31 14:48 |

EAST Search History

| | | | | | | |
|-----|-------|--|--------------------|----|-----|------------------|
| S73 | 1 | "5262636".PN. | USPAT; USOCR | OR | OFF | 2006/07/31 14:49 |
| S74 | 53987 | "356"/\$.ccls. | US-PGPUB; USPAT | OR | ON | 2006/07/31 14:52 |
| S75 | 1339 | S74 and mouse | US-PGPUB; USPAT | OR | ON | 2006/07/31 14:52 |
| S76 | 42 | S74 and optical near2 mouse | US-PGPUB; USPAT | OR | ON | 2006/07/31 17:41 |
| S77 | 1 | "6707027".pn. | US-PGPUB; USPAT | OR | ON | 2006/07/31 17:31 |
| S78 | 1 | S77 and "27" | US-PGPUB; USPAT | OR | ON | 2006/07/31 17:31 |
| S79 | 96 | "382"/\$.ccls. and optical near2 mouse | US-PGPUB; USPAT | OR | ON | 2006/07/31 17:42 |